

CSE 190: Virtual Reality Technologies

LECTURE #5: COLOR VISION

VR Content Presentations

Sebastian Dang: Coachella VR

- <https://itunes.apple.com/us/app/coachella-vr/id1081756297?mt=8>

Andrew Han

Bailey Yee

Jesse Zhou: NYT VR – Virtual Reality Stories from the NYTimes

- <https://itunes.apple.com/us/app/nyt-vr-virtual-reality-stories-from-the-nytimes/id1028562337?mt=8>

Guillermo Valdez: Chair in a Room

- <https://play.google.com/store/apps/details?id=com.RyanBousfield.AChairInARoom&hl=en>

Announcements

Homework project 1 is due this Friday at 2pm

- To be demonstrated in VR lab B210
- One member of each team:
Upload code to TritonEd by Friday 2pm

Disk space issues in VR lab

- Everyone should have 1GB storage as of today

Oculus Rift conflicts

- Even/odd hour team assignments
- See table on Piazza

Color Spaces

Color Realism


To create virtual realities we need to render realistic colors.

- Even more important for augmented reality.


How to measure color realism?

- On right: chromaticity diagram of typical HD TV gamut.

Goal: understand chromaticity diagrams.




Color Perception



Color Reproduction

How can we store and reproduce colors of objects?


- Naïve approach: store full spectrum




Goal: representation should be as compact as possible

- **Requirement:** any two colors that can be distinguished by humans should have different representations
- **Observation:** any two different colors that cannot be distinguished by humans can have the same representation


Anatomy of the Human Eye



Retina Visualization in VR




3 Types of Cones



5 arcmin visual angle

photoreceptors: **3 types of cones** (color vision), rods (luminance only, night vision)

Layers of the Retina



Color Representation

Goal: create minimal set of parameters describing a color sensation.

→ “Coordinate system” for colors

Three types of cones (L,M,S)

→ we expect three parameters to be sufficient (Trichromatic Theory!)

Idea: use L,M,S cone responses!

Tristimulus Experiment

Given arbitrary color, we want to know the weights for the three primaries


→ tristimulus values

Experimental solution

- First done by CIE (International Commission on Illumination) ca. 1920

Tristimulus Experiment

Figure 1-10
Tristimulus experiment




The observer adjusts the intensities of the red, green, and blue lamps until they match the target stimulus on the split screen.

Tristimulus Experiment


Spectral primary colors were chosen as: blue (435.8nm), green (546.1nm), red (700nm)

Example for target color wavelength of 580nm



Tristimulus Experiment

Matching curves for monochromatic target as measured:



Why negative values?

Negative Values

Some spectral colors could not be matched by primaries in the experiment

“Trick”

- One primary could be added to the source (stimulus)
- Match with the other two
- Weight of primary added to the source is considered negative

CIE Color Spaces

Matching curves $\bar{r}(\lambda), \bar{g}(\lambda), \bar{b}(\lambda)$ define CIE RGB color space

- CIE RGB values are color “coordinates”

CIE was not satisfied with range of RGB values for visible colors

Defined CIE XYZ color space

- Most commonly used color space today

CIE XYZ Color Space

Determined coefficients such that

- Y corresponds to an experimentally determined brightness
- No negative values in matching curves
- White is XYZ=(1/3,1/3,1/3)

Conversion from CIE RGB to CIE XYZ:

$$\begin{bmatrix} X \\ Y \\ Z \end{bmatrix} = \frac{1}{b_{21}} \begin{bmatrix} b_{11} & b_{12} & b_{13} \\ b_{21} & b_{22} & b_{23} \\ b_{31} & b_{32} & b_{33} \end{bmatrix} \begin{bmatrix} R \\ G \\ B \end{bmatrix} = \frac{1}{0.17697} \begin{bmatrix} 0.49 & 0.31 & 0.20 \\ 0.17697 & 0.81240 & 0.01063 \\ 0.00 & 0.01 & 0.99 \end{bmatrix} \begin{bmatrix} R \\ G \\ B \end{bmatrix}$$

CIE XYZ Color Space

Matching curves

No corresponding physical primaries


Tristimulus values

Always positive!

$$X = \int \bar{x}(\lambda) L(\lambda) d\lambda$$

$$Y = \int \bar{y}(\lambda) L(\lambda) d\lambda$$

$$Z = \int \bar{z}(\lambda) L(\lambda) d\lambda$$



3D CIE XYZ Color Space

Visualization

Interpret XYZ as 3D coordinates, plot corresponding color at each point

Many XYZ values are outside of visible color space




Chromaticity Diagrams

Chromaticity Diagram

Project from CIE XYZ coordinates to 2D for more convenient visualization:

$$x = \frac{X}{X + Y + Z} \quad y = \frac{Y}{X + Y + Z} \quad z = \frac{Z}{X + Y + Z}$$

Drop z-coordinate



Chromaticity Diagram

Factor out luminance (perceived brightness) and chromaticity (hue)

- x, y represent chromaticity of a color

$$x = \frac{X}{X + Y + Z} \quad y = \frac{Y}{X + Y + Z} \quad 0 \leq x, y \leq 1$$

- Y is luminance

CIE xyY color space


Reconstruct XYZ values from xyY

$$X = \frac{Y}{y}x \quad Z = \frac{Y}{y}(1 - x - y)$$

Chromaticity Diagram

Visualizes x, y plane (chromaticities)


Pure spectral colors on boundary



Colors shown do not correspond to colors represented by (x, y) coordinates!

Chromaticity Diagram


Weighted sum of any two colors lies on line connecting the colors



Colors shown do not correspond to colors represented by (x,y) coordinates!

Chromaticity Diagram

Weighted sum of any number of colors lies in convex hull of colors (gamut)




Colors shown do not correspond to colors represented by (x,y) coordinates!


Color Gamut

Any device based on three primaries can only produce colors within the triangle spanned by the primaries.

Points outside gamut correspond to negative weights of primaries.



Gamut of CIE RGB primaries



Gamut of typical HD TV

Display Gamut

Given red, green, blue (RGB) values, what color will your monitor produce?

- I.e., what are the CIE XYZ or CIE RGB coordinates of the displayed color?
- How are OpenGL RGB values related to CIE XYZ, CIE RGB?

Often you don't know!

sRGB

Standard color space, with fixed conversion to CIE XYZ.


Designed to match RGB values of typical monitor under typical viewing conditions (dimly lit office)

- If no calibration information available, best to interpret RGB values as sRGB

sRGB roughly corresponds to 2.2 gamma correction.

sRGB is supported by OpenGL as

- sRGB framebuffers (since OpenGL 3.0)



sRGB color gamut

Color Calibration

The same RGB values on one monitor will look different than on another

→ Color calibration

Standard for digital publishing, printing, photography.


But: no selling point for most consumers




Display calibration

Other Vision Parameters

Visual Field / Field of View




monocular visual field



binocular visual field

Visual Acuity

Each photoreceptor:
~ 1 arcmin (1/60 of a degree)



5 arcmin visual angle

Retina VR Display – What does it Take?

Need per eye:

150° x 135° with 1 arcmin resolution
= 9000 x 8100 pixels

Biggest challenge: bandwidth

- capture or render stereo panoramas or images at that resolution
- compress and transmit huge amount of data
- drive and operate display pixels

Summary:

Human Visual System

Visual acuity: $20/20 = 1$ arcminute $= 0.017$ degrees $= 60$ pixels/degree

Horizontal field of view: $\sim 190^\circ$ monocular, $\sim 120^\circ$ binocular

Vertical field of view: $\sim 135^\circ$

Temporal resolution: ~ 60 - 150 Hz (varies with contrast, luminance)

Dynamic range: instantaneous 6.5 f-stops, adapt to 46.5 f-stops

Color: everything in chromaticity diagram

Depth cues in 3D displays: vergence, focus

Accommodation range: ~ 8 cm to ∞ , degrades with age