



CSE 190: 3D User Interaction

Lecture #9: Travel
Jürgen P. Schulze, Ph.D.

Announcements

- Homework assignment #3 due Friday, February 22nd at 1pm in Sequoia lab 142
 - Grading starts at 12:30
- Reminder: paper presentations
 - Next lecture:
 - Velu: Touché: Enhancing Touch Interaction on Humans, Screens, Liquids, and Everyday Objects
 - Haronid: D-Flow: Immersive Virtual Reality and Real-Time Feedback for Rehabilitation
 - Amell: Lightweight Palm and Finger Tracking for Real-Time 3D Gesture Control

Paper Presentations

- Today:
 - Vivek: Olfactory feedback system to improve the concentration level based on biological information
 - Joey: TBD
 - Matteo: A discussion of cybersickness in virtual environments


Navigation

Wayfinding – Cognitive Component


Artificial Cues

- Maps
- Compasses
- Signs
- Reference objects
- Artificial landmarks
- Trails


Maps (1)




Maps (2)




Maps (3)



Maps (4)



Compasses



Signs



Reference Objects

- Objects that have well known size
 - chair, human figure, etc...
- Useful to estimate distances

Artificial Landmarks

- Local – help users in decision making processes
- Global – seen from any location

Trails

- Help user retrace steps
- Show what parts have been visited

Navigation

Travel – Motor Component

Travel

- The motor component of navigation
 - Good travel techniques integrate aids to wayfinding
- Movement between two locations, setting the position (and orientation) of the user's viewpoint
- The most basic and common VE interaction technique, used in almost any large-scale VE


Travel Tasks

- Exploration
 - travel which has no specific target
 - build knowledge of environment
- Search
 - naïve: travel to find a target whose position is not known
 - primed: travel to a target whose position is known
 - build layout knowledge; move to task location
- Maneuvering
 - travel to position viewpoint for task
 - short, precise movements

Travel Characteristics


- Travel distance
- Amount of curvature/number of turns in path
- Target visibility
- DOF required
- Accuracy required
- Other tasks during travel
- Active vs. passive
- Physical vs. virtual

A Technique Classification – Component Decomposition



From: Bowman, Koller, and Hodges, Travel in Immersive Virtual Environments. IEEE VRAIS '97

Alternate Technique Classification – User Control Level



Travel Techniques

- Physical locomotion (“natural” metaphors)
- Steering techniques
- Route planning
- Target-based techniques
- Manual manipulation
- Viewpoint orientation techniques

Physical Locomotion Techniques

- Walking techniques
 - Large-scale tracking
 - Walking in place
- Treadmills
 - single-direction with steering (Gait Master)
 - omni-directional
- Bicycles
- Other physical motion techniques
 - Magic carpet
 - Disney's river raft ride



Large Scale Tracking



Omni-Directional Treadmill

- Video:
 - <http://www.youtube.com/watch?v=BQw1tsgkJOs>




Gait Master

- Video
 - <http://www.youtube.com/watch?v=RDDH1iqoDzU>



String Walker

- Video from Emerging Technologies, SIGGRAPH 2007
- <http://www.youtube.com/watch?v=hyLKjyL-Dw8>



Steering Techniques

- Continuous specification of direction of motion
 - gaze-directed
 - pointing
 - torso-directed
 - camera-in-hand
 - physical device (steering wheel, flight stick)

Steering – Gaze-Directed

- Move viewpoint in direction of “gaze”
- Gaze direction determined from head tracker
- Cognitively simple
- Doesn't allow user to look to the side while traveling

Steering – Gaze-Directed Implementation

- Each frame while moving:
 - Get head tracker information
 - Transform vector $[0,0,-1]$ in head CS to $v=[x,y,z]$ in world CS
 - Normalize v :
$$\hat{v} = \frac{v}{\|v\|}$$
 - Translate viewpoint by

Pointing Technique

- Also a steering technique
- Use hand tracker instead of head tracker
- Slightly more complex, cognitively
- Allows travel and gaze in different directions – good for relative motion

Pointing Implementation

- Each frame while moving:
 - Get hand tracker information
 - Transform vector $[0,0,-1]$ in hand CS to $v=[x,y,z]$ in world CS




- Normalize v :
$$\hat{v} = \frac{v}{\|v\|}$$

- Translate viewpoint by

$$(\hat{v}_x, \hat{v}_y, \hat{v}_z) \times \text{current_velocity}$$

Route-Planning

- One-time specification of path
 - draw path
 - points along path
 - manipulating user representation




Target-Based Techniques

- Discrete specification of goal
 - point at object
 - choose from list
 - enter coordinates
- Map/WIM-based target specification

Map-Based Travel Techniques

- User represented by icon on 2D map
- Drag icon with stylus to new location on map
- When released, viewpoint animated smoothly to new location



Map-based Travel Implementation

- Must know
 - map scale relative to world: s
 - location of world origin in map CS: $o=(x_o, y_o, z_o)$
- On button press:
 - if stylus intersects user icon, then each frame:
 - get stylus position in map CS: (x, y, z)
 - move icon to $(x, 0, z)$ in map CS

Map-Based Travel Implementation (cont.)

- On button release:
 - Get stylus position in map CS: (x, y, z)
 - Move icon to $(x, 0, z)$ in map CS
 - Desired viewpoint: $p_v = (x_v, y_v, z_v)$ where
 - $x_v = (x - x_o) / s$
 - $z_v = (z - z_o) / s$
 - $y_v = \text{desired height at } (x_v, y_v)$
 - Move vector: $m = (x_v - x_{curr}, y_v - y_{curr}, z_v - z_{curr}) *$
(velocity/distance)
 - Each frame for (distance/velocity) frames: translate viewpoint by m

Manual Manipulation – Grabbing the Air Technique

- Use hand gestures to move yourself through the world
- Metaphor of pulling a rope
- Often a 2-handed technique
- May be implemented using Pinch Gloves

Grabbing The Air Implementation (One-handed)

- On pinch:
 - Obtain initial hand position in world CS: (x_h, y_h, z_h)
- Each frame until release:
 - Obtain current hand position in world CS: (x'_h, y'_h, z'_h)
 - Hand motion vector: $m = ((x'_h, y'_h, z'_h) - (x_h, y_h, z_h))$
 - Translate world by m (or viewpoint by $-m$)
 - $(x_h, y_h, z_h) = (x'_h, y'_h, z'_h)$
- Cannot simply attach objects to hand – do not want to match hand rotations

Viewpoint Orientation Techniques

- Head tracking
- Orbital viewing
- Non-isomorphic rotation
- Virtual sphere